

INDEX MAPS.
T. 16N, R. 11E. 2nd Mer.

268	6	292	5	285	4	280	3	276	2	272	1	266
	291		290		285		280		276		272	
268	7	290	8	284	9	280	10	276	11	272	12	266
	290		289		284		279		275		271	
268	18	289	17	283	16	279	15	275	14	271	13	266
	289		288		283		278		275		270	
267	19	288	20	282	21	278	22	274	23	270	24	265
	287		287		282		278		274		270	
267	30	287	29	282	28	277	27	274	26	269	25	265
	286		286		281		277		273		269	
267	31	285	32	281	33	277	34	273	35	269	36	265
	264		264		263		263		263		263	

T. 5N, R. 12E. 2nd Mer.

Meanders 303

	295		295		295		296			
296	6	297	5	298	4	301	3		2	1
	297		299		301		301			
296	7	297	8	299	9	302	10		11	12
	298		299		302		302			
	18		17	300	16		15		14	13
				300		300				
	19		20	Ohio Tr.	21		22		23	24
	30		29		28		27		26	25
	31		32		33		34		35	36

⌚ The figures on the lines refer to the page.

295

Township N. 3 North, Range N. 12 East 2. Mer. Indiana

ch. lks.

North Boundary. var 5.50'E.

East On S. boundary of Sec. 31, T4N. R12E.
 20.00 Indian Kentucky Cr., 300 lks. wide Course S. W
 27.30 a Walnut 24 in. diam.
 33.50 a Brook 3 lks. wide Course N.
 38.00 a Cr. 3 " " " N.
 40.00 Set of Sec. post, from which
 a Beech 6 in. diam. bray S 74 lks. dist. &
 a Sugar 8 " " " N 11 W 8 " "
 Part hill & part bottom, timber Beech, Sugar &c.
 54.00 a Brook 5 lks. wide Course N.
 80.00 Set post Cor. to Sec. 31 & 32, from which
 a Sugar 9 in. diam. bray N 26 W 4 lks. dist. &
 a Do 10 " " " S 37 E 26 " "
 Rich rich land, timber Sugar, Ash, Oak &c.
 September 2. 1806

East On S. boundary of Sec. 32, T4N. R12E.
 15.50 a Brook 3 lks. wide Course N. W.
 17.60 a Walnut 15 in. diam.
 40.00 Set of Sec. post, from which
 a Sugar 9 in. diam. bray S 70 W 21 lks. dist. &
 an Ash 6 " " " S 72 E 23 " "
 Rich rich land, timber Sugar, Ash &c.
 50.00 a Hickory 15 in. diam.
 80.00 Set post Cor. to Sec. 32 & 33, from which
 an Ash 6 in. diam. bray S 70 W 6 lks. dist. &
 a Sugar 12 " " " N 38 E 14 " "
 Rich rich land, timber Sugar, Elm, Ash &c.

East On S. boundary of Sec. 33, T4N. R12E.
 40.00 Set of Sec. post, from which
 an Ash 18 in. diam. bray N 26 E 25 lks. dist. &
 a Hickory 12 " " " S 51 W 37 " "
 Rich rich land, timber Sugar, Ash &c.
 48.48 a Walnut 9 in. diam. bray

T3N R12E 2nd Mer. Indiana

ch. 9th.
 51.50 a Brook 3th. wide Course S.
 73.00 a Do. 5 " " " S.
 80.00 Set post Cor. to Sec. 33 & 34, from which
 a Locust 6 in. diam. - bear N43 E 4th. dist. of
 a Sugar 6 " " " S56 W 24 " "
 Hilly rich land, timber Sugar, Ash &c.

East On S. boundary of Sec 34, T4N, R12E.
 12.00 a Brook 4th. wide Course S.W.
 15.00 a Do. 2 " " " N.W.
 18.80 a Hickory 16 in. diam.
 34.50 Intersected Old Indian boundary, Set post Cor.
 to Townships 3 & 4 N. Range 12 E, from which
 a Hickory 10 in. diam. - bear S5 W 17th. dist. of
 a Sugar 10 " " " N80 W 16 " "
 Hilly rich land, timber, Sugar, Elm, Ash &c.

West Boundary var. 5.50! E.
 South On E. boundary of Sec. 1, T1N.3N, R11E.
 17.50 Indian Kentucky Cr. 400th. wide Course S.W.
 36.30 a Hackberry 18 in. diam.
 40.00 Set of. Sec. post, from which
 a Hackberry 30 in. diam. - bear N33 E 4th. dist. of
 a Buckeye 6 " " " S47 W 25 " "
 Rich broken land, with guth, timber Beech, Sugar &c.
 53.70 an Ash 16 in. diam.
 61.50 a Brook 20th. wide Course W
 65.00 looped the above brook &
 80.00 Set post Cor. to Sec. 1 & 12, from which
 an Ash 30 in. diam. - bear N58 E 17th. dist. of
 a Beech 36 " " " S48 W 24 " "
 Part hilly & part River bottom, timber Sugar, Ash, Elm &c.

South On E. boundary of Sec. 12, T3N. R11E.
 5.50 Set post on the bank of the Ohio River, from which
 a Sugar 14 in. diam. - bear N15 E 21th. dist. of

T3N R12E 2^d Mer. Indianach. 2^d 1/2

a Cherry 10 in. diam. - beam S 22 E 26 lks. dist

September 23^d 1886

Alexander Holmes

Deputy Surveyor

Subdivision

South Between Sec. 5 & 6

15.00 a small water course 4 lks. wide, descends W.

40.00 Set g. post, from which
a Buckeye 14 in. diam. - beam S 50 W 30 lks. dist. of
an Ironwood 6 " " " N 60 E 10 " "

65.00 Crossed a water course 6 lks. wide E. S. W

70.00 begin to descend a steep hill

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Sugar 8 in. diam. - beam S 80 W 28 lks. dist. of
a Hickory 18 " " " S 60 E 14 " "
This (mile) hill, timber Oak, Ash, Hickory &c. rich soilWest On Land^{gm} between Sec. 6 & 7

40.00 Set temp. g. post

70.00 a water course 10 lks. wide Course S. W.

80.08 Intersected W. boundary 10 lks. N. of post
This (mile) hill, timber Oak, Ash, Sugar, Hickory &c.
soil rich. 3^d rate

East Corrected between Sec. 6 & 7

10.00 a water course 10 lks. wide Course S. W.

15.00 begin to ascend a steep hill

40.04 Set g. post at average dist from which
a Buck 48 in. diam. - beam S 10 E 14 lks. dist. of
a No. 20 " " " N 3 W 13 " "

45.00 rose the hill & begin to descend

80.08 to Sec. Corner

South Between Sec. 7 & 8

10.00 a water course 10 lks. wide Course N. & begin ascend the hill

T3N R12E, 2^d. Mer. Indiana

Ch. Lk.

- 44.00 rose the hill Set g. Sec. post, from which
 a Sugar 12 in. diam. bear N60 E 31 lks. dist. of
 a Blue Ash 10 " " " N58 W 11 " "
- 45.00 begin to descend a steep hill
- 50.00 enter Ohio river bottom
- 80.00 Set post Cor. to Sec. 7, 8, 17, 18, from which
 a Sugar 24 in. diam. bear N65 W 34 lks. dist. of
 a Do. 6 " " " S70 E 22 " "
 First half (mile) hilly - the other for bottom, timber
 Beech, Sugar, Ash &c. Oct. 19th 1886.

West Between Sec. 7 & 18

- 27.20 a Beech 12 in. diam. in the line
- 39.34 to the bank of the Ohio River, Set post, from which
 a Beech 12 in. diam. bear S52 E 6 lks. dist. of
 a Do. 12 " " " N85 E 19 " "
 This distance bottom, Beech, Ash, Sugar &c. 2^d rate

South Between Sec. 17 & 18, T3N, R12E.

- 40.00 Set g. Sec. post, from which
 a Beech 36 in. diam. bear S55 W 14 lks. dist. of
 a Do. 22 " " " S80 E 22 " "
- 51.10 to the bank of Ohio River, Set post, from which
 a Beech 36 in. diam. stands for corner
 This distance level bottom land, timber Beech,
 Poplar, Sugar &c. 2^d rate.

South Between Sec. 4 & 5

- Begin to descend a steep hill
- 40.00 Set g. Sec. post, from which
 an Elm 12 in. diam. bear N40 E 11 lks. dist. of
 an Ironw^d 3 " " " N33 W 3 lks. "
- 45.00 a small water course 6 lks. wide Cr. S. W.
- 67.00 begin to descend a steep hill
- 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 an Elm 12 in. diam. bear N12 W 12 lks. dist. of

3rd N 12 E. 2nd Mer. Indiana

Ch. 1st 1/4

an Elm 10 in. diam. bray S 20 W 12 Ch. dist.
This post stands on the bank of a watercourse 10 Ch.
wide C. S. W. Sandhilly Beech, Oak Sugar, 3rd rate

West On Rand^m. between Sec^s. 5 & 8

40.00 Set temp. g. Sec. post

80.50 Intersected the N & S. line 28 Ch. S. of post
This mile very hilly, timber Oak, Oak, Lym
Sugar &c. 3rd rate

East Corrected between Sec^s. 5 & 8

Begin to ascend a steep hill

30.00 rose the hill & begin to descend a steep hill

40.25 Set g. Sec. post at average dist. from which
a Sugar 12 in. diam. bray S 70 E 13 Ch. dist. to
a No. 10 " " " S 52 W 11 " "

80.50 to Sec. Corner

South Between Sec^s. 8 & 9

40.00 Set g. Sec. post, from which
a Blue Ash 4 in. diam. bray N. W 26 Ch. dist. to
a W. Ash 28 " " " East 3 " "

45.00 Begin to descend a steep hill

70.00 a Watercourse 4 Ch. wide descend S. W.

80.00 at Black Oak 24 in. diam. stand for the corner of
Sec^s. 8, 9, 16 & 17. This mile over very hilly land
timber similar to the last mile 3rd rate

West On Rand^m. between Sec^s. 8 & 17

10.00 a small watercourse descends S. W.

40.00 Set temp. g. Sec. post

80.82 Intersected the N & S. line 17 Ch. N. of post
This mile excepting the last quarter very hilly
timber Oak, Ash, Beech, Sugar &c. 3rd rate

East Corrected between Sec^s. 8 & 17

S. N. R. 12 E 2nd. Mer. Indianach² lks.

- 40.41 Set of, Sec. post at average dist. from which
 a Hackberry 3 in. diam. bran N 10 W 11 lks. dist. of
 a Do. 4 " " " S 70 E 5 " "
 70.00 a watercourse 5 lks. wide Course S. W.
 80.82 to Sec. corner. Oct. 21st 1806

South & Between Secs. 16 & 17

- 40.00 Set of, Sec. post in the bottom from which
 a Beech 4 in. diam. bran East 24 lks. dist. of
 a Do. 4 " " " S 51 W 14 " "
 80.00 Set post cor. to Secs. 16, 17, 20 & 21, from which
 a Beech 16 in. diam. bran N. E 11 lks. dist. of
 a Do. 18 " " " S. W 22 " "
 The 1st half mile hilly - the other 1/2 bottom
 Beech, Ash, Sugar &c.

West & Between Secs. 17 & 20

- 40.00 Set of, Sec. post, from which
 a Sugar 12 in. diam. bran N 7 E 46 lks. dist. of
 an Elm 24 " " " N 85 W 24 " "
 50.54 Intersected the Ohio river & set post, from which
 a Beech 18 in. diam. bran N 62 E 15 lks. dist. of
 a Do. 18 " " " S 10 E 9 " "
 Sand level, timber Beech, Sugar &c. 2nd rate

South & Between Secs. 20 & 21

- 26.16 Intersected the Ohio river & set post, from which
 a Beech 18 in. diam. bran S 32 E 13 lks. dist. of
 a Do. 16 " " " S 40 W 16 " "
 Sand level timber Beech, Sugar &c. 2nd rate

East & Between Secs. 16 & 21

- 40.00 Set of, Sec. post, from which
 a Buckeye 10 in. diam. bran S 71 E 14 lks. dist. of
 a Do. 10 " " " N 50 W 24 " "
 50.00 begins to ascend a steep hill

S 3 N. R. 12 E. 2^d. Mer. Indianach. 2^d 1/2

66.88 Intersected the Old indian boundary line
 Set post, from which
 a Sugar 12 in. diam. bear S 70 E 17 lbs. dist. of
 a W. Ash 20 " " " South 22 " "
 Just 1/2 mile bottom, the other 1/2 hilly timber
 Oak, Sugar, Ash &c.

South Between Sec. 3 & 4

4.80 a watercourse 5 lbs. wide Course S. W.
 10.00 begin to ascend a steep hill
 40.00 Set q^r. Sec. post, from which
 a Walnut 18 in. diam. bear N 5 W 13 lbs. dist. of
 a Sugar 6 " " " S 16 W 9 " "
 70.00 a watercourse 12 lbs. wide Course S. W.
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Hickory 18 in. diam. bear South 15 lbs. dist. of
 a W. Ash 14 " " " N 3 W 14 " "
 This mile broken, Beech, Oak, Ash, Dogwood
 Ironwood &c. 3^d rate.

West On Road between Sec. 4 & 9

5.00 a watercourse 6 lbs. wide C. S. W.
 10.00 begin to ascend a hill
 40.00 Set temp. q^r. Sec. post
 80.00 Intersected the N & S. line at the post
 This mile hill, Oak, Ash, Elm &c. 3^d rate

East Cor. between Sec. 4 & 9

40.00 Set q^r. Sec. post at average dist. from which
 a Beech 20 in. diam. bear N 22 E 18 lbs. dist. of
 a H. 8 " " " West 15 " "
 70.00 begin to descend a hill
 75.00 a water Course 6 lbs. wide Course N. W.
 80.00 to Sec. Cor.

East Between Sec. 3 & 10

T3. N 12 E. 2nd Mer. Indiana

ch. 1st 18.86 Intersected the Old Indian boundary line & set post, from which
 a Sugar 12 in. diam. bran 180 E 28 N, dist. of
 a W. Ash 36 " " " N 45 W 14 " "
 This distance Hilly Oak, Ash &c. 3rd rate

South Between Sec. 9 & 10
 20.00 a water course 6 in. wide course N. W.
 40.00 a Hackberry 12 in. diam. stands for q. sec corner
 notched on four sides
 80.00 set post corner to Sec. 9, 10, 15 & 16, from which
 a Sugar 12 in. diam. bran East 11 N. dist. of
 a Blue Ash 6 " " " S 50 E 19 " "
 This mile broken, timber Beech, Oak, Sugar,
 Ash &c. 3rd rate

East Between Sec. 10 & 15
 1.00 Intersected the Indian boundary line and
 set post, on a Hackberry 8 in. diam. stands
 for the corner of fractional Sec. 10 & 15
 Township 3 N. Range 12 East

West On Land between Sec. 9 & 16
 35.00 a water course 6 in. wide descends S.
 40.00 set temp. q. sec. post
 45.00 a water course 6 in. wide course S.
 72.50 a do. do. do. " " " S.
 80.00 Intersected the N & S. line 11 N. N. of post
 This mile hilly, timber Beech, Ash, Gum &c.
 Soil 3rd rate

East Corrected between Sec. 9 & 16
 7.50 a water course 6 in. wide Cr. S.
 35.00 a do do. " " S.
 40.00 set q. sec. post, from which
 an Ironwood 8 in. diam. bran S 9 E 12 N. dist. of

S. N. R. D. E. D. Mer. Indiana

ch. 1/2

a W. Oak 16 in. diam. - bearing N 80 W 25 lks. dist. 5

Begin to descend a steep hill

45.00 a water course 6 lks. with course S.

80.00 to Section Corner

South Between Sec. 15 & 16

8.50 Intersected Indian boundary line and
set a post, from which

an Oak 24 in. diam. - bearing N 32 W 13 lks. dist. 5

at Blue Ash 12 " " " N 80 E 20 " "

Meander of the Ohio River, beginning at
post in the W. boundary thence up stream

S 36 E 17.71 in Sec. 7

S 32 E 9.85

S 29 E 34.87

S 30 1/2 E 20.82 to line between 7 & 18

S 31 1/2 E 22.12 in Sec. 18

S 32 1/2 E 12.26

S 35 E 17.50

S 39 E 10.50 to line between 17 & 18

S 42 E 7.59 in Sec. 17

S 46 E 18.64 to line between 17 & 20

S 52 E 14.50 in Sec. 20

S 55 E 14.63

S 63 1/2 E 30.11

S 70 E 12.29 to line between 20 & 21

S 76 E 33.70 in Sec. 21

East 25.64 to the Old Indian boundary line
Opposite the Mouth of Kentucky River
January 8th 1807

T3N R12 E. 2^d. Mer. IndianaMonday Oct. 13th 1806.

You Benj^m. Swin & John Burch, do solemnly swear in the presence of Almighty God the searcher of all hearts, that you will carry a true and horizontal chain, and give a true account of all distances that you may chain, to the best of your skill and abilities & understanding, to help you God.

Benjamin Swin

John ^{his} Burch

Sworn & subscribed before me this 15th day of October 1806.

Stephen Snallow

Deputy Surveyor

I certify, that the foregoing transcript of field notes of Township 3 North, of Range 12 East of the 2^d. Principal Meridian, Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office
Cincinnati, October 5th 1844.

William Johnston
Surveyor General

Comp.